

AD _____

Award Number: DAMD17-00-1-0534

TITLE: Profile of the Neurofibromatosis Type 1 (NF1) Phenotype:
Natural History, Neuropsychological and Psychosocial Aspects

PRINCIPAL INVESTIGATOR: Kathryn North, B.Sc.(Med), M.B.B.S.,
M.D.

CONTRACTING ORGANIZATION: Children's Hospital at Westmead
Parramatta NSW 2124 Australia

REPORT DATE: September 2001

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20020225 078

REPORT DOCUMENTATION PAGEForm Approved
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)**2. REPORT DATE**

September 2001

3. REPORT TYPE AND DATES COVERED

Annual (1 Sep 00 - 31 Aug 01)

4. TITLE AND SUBTITLE

Profile of the Neurofibromatosis Type 1 (NF1) Phenotype: Natural History, Neuropsychological and Psychosocial Aspects

5. FUNDING NUMBERS

DAMD17-00-1-0534

6. AUTHOR(S)

Kathryn North, B.Sc.(Med), M.B.B.S., M.D.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)Children's Hospital at Westmead
Parramatta NSW 2124 Australia

E-Mail: kathryn@chw.edu.au

**8. PERFORMING ORGANIZATION
REPORT NUMBER****9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)**U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012**10. SPONSORING / MONITORING
AGENCY REPORT NUMBER****11. SUPPLEMENTARY NOTES****12a. DISTRIBUTION / AVAILABILITY STATEMENT**

Approved for Public Release; Distribution Unlimited

12b. DISTRIBUTION CODE**13. ABSTRACT (Maximum 200 Words)**

The natural history of both cognitive functioning and T2-hyperintensities is being examined in a longitudinal study of a cohort of 32 patients with NF1 and 11 controls. Follow-up neuropsychological assessments and cranial MRIs were performed after an 8-year period. Preliminary data analysis suggests that there is no improvement in cognitive function over time. MRI T2-hyperintensities decrease in size, intensity and number over time. However lesions in the basal ganglia behave differently from lesions in the cortex and brainstem, suggesting different underlying pathogenetic mechanisms. The timing of the MRI scan appears important in terms of its ability to predict cognitive deficits.

In addition, we are conducting a comprehensive neuropsychological study of a cohort of 80 children with NF1 and 50 sibling controls. Patient ascertainment and testing is still in progress. These children (8-16 years) will undergo intensive cognitive assessments and MRIs. The relationship between T2-hyperintensities on cranial MRI and neuropsychological functioning will be examined by determining whether the number, size, or sites of these lesions are predictive of general or specific neuropsychological deficits.

A multicentre study is also being conducted to characterise the distribution of IQ scores in a large international cohort of patients with NF1 and to determine whether any clinical or demographic variables are associated with lowering of IQ.

14. SUBJECT TERMS

Neurofibromatosis Type 1; Cognitive functioning; Learning Disabilities; Natural History; Psychosocial Profile

15. NUMBER OF PAGES

12

16. PRICE CODE**17. SECURITY CLASSIFICATION
OF REPORT**

Unclassified

**18. SECURITY CLASSIFICATION
OF THIS PAGE**

Unclassified

**19. SECURITY CLASSIFICATION
OF ABSTRACT**

Unclassified

20. LIMITATION OF ABSTRACT

Unlimited

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

Table of Contents

Cover.....	1
SF 298.....	2
Table of Contents.....	3
Introduction.....	4
Body.....	4
Key Research Accomplishments.....	7
Reportable Outcomes.....	7
Conclusions.....	8
References.....	8
Appendices.....	9

ANNUAL PROGRESS REPORT

Introduction

Study 1 is a longitudinal study of a cohort of 32 patients with NF1 and 11 controls¹. Follow-up neuropsychological assessments and cranial MRIs have been performed after an 8-year period to determine the natural history of cognitive functioning and T2-hyperintensities. We also determined whether changes in T2-hyperintensities are predictive of changes in neuropsychological abilities.

Study 2 is a cohort study examining 80 children with NF1 and 50 sibling controls. These children (8-16 years) will undergo cognitive assessments, to develop a comprehensive neuropsychological and psychosocial profile. In addition, the relationship between T2-hyperintensities on cranial MRI and neuropsychological functioning will be examined to determine whether the number, size, or sites of these lesions are predictive of general or specific neuropsychological deficits.

Study 3 is a multicentre study which will characterise the distribution of IQ scores in a large international cohort of patients with NF1. We will determine whether any clinical or demographic variables are associated with lowering of IQ.

Body

Study 1

We have recruited and tested a total of 44 participants which include 33 patients with NF1 and 11 without NF1. From the original 40 patients with NF1, 2 have been excluded according to the exclusion criteria. 33 patients have agreed to participate. One patient with NF1 has been diagnosed with a brain tumour and will be excluded from analysis. We have had difficulty contacting the remaining 5 patients since they have moved interstate and been lost to follow up. We will try and recruit them if they return for a clinic visit. However it is likely that we have now completed subject ascertainment for this part of the study. Of the 14 control siblings, 11 have participated, 2 have refused to participate, and 1 patient cannot be located.

All patients and controls have undergone all aspects of testing, that is, a psychometric assessment and an MRI. Since data analysis is still in progress, we cannot yet state firm conclusions. However initial data analysis suggests the following findings of clinical significance:

1. When changes over time in patients with NF1 are compared to controls there are no significant differences between groups in:


- general intellectual functioning
- verbal reasoning skills
- nonverbal reasoning skills
- problem solving skills
- verbal fluency
- visuospatial skills

¹ These patients were followed-up from a study conducted in 1992 (North et al, 1994; North et al, 1995). This study had 40 patients with NF1 and 14 controls, however not all subjects were able to be followed-up.

This is the first longitudinal study of cognitive function in NF1. Previous studies, based on cross-sectional data have suggested that there is an improvement in cognitive function over time in patients with NF1. Our results do not support this.

Figure 1: Natural History of Full Scale IQ (FSIQ) in NF1

Figure 2: Comparison of Total Lesion Load Score



To analyse the MRI findings and the natural history of T2-hyperintensities we have developed a new classification system (Lesion Load score).

Classification of T2-hyperintensities

Size: 1 (<5mm), 2 (6-10mm), 3 (11mm+)

Intensity: 1 (diffuse, low intensity),
2 (discrete lesion, low-moderate intensity)
3 (discrete lesion, high intensity)

Lesion load score = size (1-3) + intensity (2 or 3)


Results to date:

	1992	2000
No. of patients with T2+	63%	44%
Lesion load score (LLS)	216	93
Mean LLS	8	3.4

1992 - 17 patients with T2-hyperintensities

2000 - lesions ↓ in no. and intensity in 15 patients
- remained the same in one patient
- increased in one patient
- only one patient (T2- in 1992) developed T2+

Figure 2: Comparison of Total Lesion Load Score



- ◆ 1992 - 50% of T2-hyperintensities in basal ganglia
2000 - 56% disappeared completely and the remainder decreased in size, intensity or both
- ◆ 1992 - 10 brainstem T2-hyperintensities
2000 - 8 disappeared
 - 1 ↓intensity, same size
 - 1 ↓intensity, increase size
- ◆ None of the cortical lesions disappeared from 1992-2000. In 2000, 50% of all T2-hyperintensities in cortex.
- ◆ 2000 - 14 new lesions - 8 in cortex, 2 in brainstem, 2 in thalamus, 2 in corpus callosum.
No new basal ganglia T2 - hyperintensities

Study 2

From the total of 80 patients with NF1 and 50 sibling controls that will be recruited, 57 participants have been recruited, 39 with NF1 & 18 unaffected siblings. All these patients have undergone both neuropsychological/psychosocial assessment sessions and an MRI. Certain patients (depending on the timing of their last medical check-up) have also had medical assessments. Patient ascertainment and testing is still to be completed.

Study 3

Seven centres have agreed to participate. Each centre has sent the de-identified data to Australia (i.e. they have provided IQ, clinical and MRI data identified only as Patient #1, Patient #2...etc). The data not yet been examined. No results are available.

Key Research Accomplishments

Study 1

- ◆ From the previous cohort of 40 patients with NF1 and 14 controls, 33 patients with NF1 and 11 controls have been recruited and have undergone a follow-up neuropsychological assessment. Those with NF1 have also had a follow-up cranial MRI.
- ◆ This is the first prospective longitudinal study of cognitive function and MRIs in patients with NF1. Initial data analysis suggests that there is no improvement in cognitive function over time and that there is a significant decrease in T2-hyperintensities in the basal ganglia over time – but not in other regions of the brain. Thus it is likely that different pathogenetic mechanisms underlie the presence of T2-hyperintensities in different parts of the brain. In study 2, we will thus analyse all T2-hyperintensities relative to cognitive function and then analyse the basal ganglia lesions separately to determine if they have a separate effect on cognitive phenotype.
- ◆ Preliminary analysis (still incomplete) suggests there is no association between individual changes in any neuropsychological abilities and T2-hyperintensities when . It is also likely that the *presence* of T2-hyperintensities in the 1992 scan, compared to the 2000 scan, is a better predictor of neuropsychological ability in 2000. i.e. the timing of the MRI is an important variable in studies examining the association between T2-hyperintensities and cognitive function

Study 2

- ◆ 39 patients with NF1 and 18 unaffected sibling controls have all undergone 2 neuropsychological and psychosocial assessment sessions. The patients with NF1 have had a cranial MRI.
- ◆ The study design for Study 2 directly addresses the weaknesses of previous studies and thus our results will be able to address controversies concerning the cognitive phenotype, the incidence of ADHD in NF1 and the association between T2-hyperintensities and cognitive functioning.

Design Strengths: Large sample size

- ◆ Inclusion of sibling controls
- ◆ Use of co-normed test for assessing SLD (WIAT)
- ◆ Analysis of *types* of attentional difficulties
- ◆ In depth analysis of perceptual skills
- ◆ New tests of executive functioning (CCT & BRIEF)
- ◆ Examination of visual memory, controlling for perceptual difficulties.
- ◆ Examination of real-world (functional) correlates of perceptual, attention and executive dysfunction

Study 3

- ◆ 7 centres have been contacted and have sent their de-identified data to Australia.

Reportable Outcomes

Data analysis is still incomplete with findings as listed above from the Natural History study. Preliminary data analysis from Study 1 suggests that there is no improvement

in cognitive function over time in patients with NF1. MRI T2-hyperintensities decrease in size, intensity and number over time. However lesions in the basal ganglia behave differently from lesions in the cortex and brainstem, suggesting different underlying pathogenetic mechanisms. The timing of the MRI scan appears important in terms of its ability to predict cognitive deficits. These results will have clinical relevance in terms of timing of intervention for cognitive deficits, as well as research implications for the analysis of data correlating MRI lesions with the cognitive phenotype. As a direct result of our initial results from Study 1, we will analyse basal ganglia lesions as a separate variable (in Study 2) to determine their association with specific neuropsychological deficits.

We envisage that there will be 2 manuscripts arising from Study 1 (these should be completed by end 2001), at least 2 from Study 2 and one from Study 3 (by end of funding period). Associate Professor North will present some of the preliminary data at the Neurofibromatosis Symposium being held in conjunction with the Child Neurology Society meeting in Victoria BC in October, 2001

Conclusions

We are on track with our research plan as outlined in the Timeline and Statement of Work (appendix A) We have had no problems with patient ascertainment and will achieve the aims of the study as outlined in the grant proposal. Our preliminary analysis of the natural history data has already yielded important information that specifically addresses controversies within the literature, and is likely to have clinical relevance.

References

- North K, Joy P, Yuille D, et al. Learning difficulties in neurofibromatosis 1: the significance of MRI abnormalities. *Neurology* 1994;44:878-883.
- North K, Joy P, Yuille D, et al. Cognitive function and academic performance in children with Neurofibromatosis type 1. *Dev Med Child Neurol* 1995;37:427-436.

Appendices

- Appendix A – Statement of Work and Timeline of Project
- Appendix B – Ethic approval for revisions requested by USAMRMC


STATEMENT OF WORK – Revised 25th May 2001
(for timeline refer to the chart on the next page)

Study 1 :	Prospective longitudinal study of our original cohort of 50 patients (0-18 months).
<u>Methods:</u>	re-assessment of original cohort (medical, cognitive function, MRI); re-analyse using previous statistical techniques; developmental (natural history) comparison of changes in UBO status and intelligence.
<u>Previous data:</u>	1992 study (North et al. 1994, 1995).
<u>Sample:</u>	40 NF1 patients in original cohort; aged now 15-25 years; approximately equal distribution by sex.
<u>Deliverables:</u>	confirmation or rejection of the correlation between number of UBOs, age and intelligence, progress report, two journal articles.
<u>Funding</u>	National Neurofibromatosis Foundation (first 12 months only) + USAMRMC (12-18 months)

Study 2 :	1. Replication of our initial study in a new cohort of 80 children 2. Control study - using unaffected siblings (12-36 months)
<u>Methods:</u>	neuropsychological and psychosocial assessment of new cohort and sibling controls
<u>Previous data:</u>	comparative data from the 1992 study.
<u>Sample:</u>	80 NF1 patients, aged 8-16 years ascertained sequentially; excluding patients with intracranial pathology, IQ < 70 and currently on medication that could affect test performance; and 50 non-NF1-affected siblings, aged over 6 years and preferably <18 years.
<u>Deliverables:</u>	confirmation or rejection of previous findings; extension of the study to increase rigor, reliability and statistical power; control for familial factors in phenotype; progress report, two journal articles.
<u>Funding</u>	USAMRMC

Study 3:	International collaborative study of over 700 patients with NF1 (18-36 months).
<u>Methods:</u>	collect data on NF1 studies from Ferner (UK), Riccardi (USA), Legius (Belgium), Samango-Sprouse (USA), Tenconi (Italy), Sadeh (Israel) and combine with our studies (North; Australia)
<u>Previous data:</u>	as produced by the researchers above who are collaborating in this part of the project; includes intelligence scores, JLO, VMI, Achenbach, and academic achievement.
<u>Sample:</u>	patients with NF1; children, adolescents and adults; male and female; multi-ethnic.
<u>Deliverables:</u>	theoretical advances in understanding the cognitive phenotype of NF1 patients, particularly, data on distribution of intelligence, progress report, one journal article.
<u>Funding</u>	USAMRMC

Timeline for Studies involving NF 1 Patients



Research and Development
Tel: 9845 1316
Fax: 9845 1317

g:\lec\corres\2001\97002finalapproval2.doc

27 June, 2001

A/Prof Kathy North
Neurogenetics Research Unit

Corner Hawkesbury Road
and Hainsworth Street
Locked Bag 4001
Westmead NSW 2145
Sydney Australia
DX 8213 Parramatta
Tel +61 2 9845 0000
Fax +61 2 9845 3489
www.chw.edu.au
ABN 53 188 579 090

Dear A/Prof North,

**Title: A prospective analysis of the NF1 phenotype:
natural history, pathogenesis and therapy**

Project Number: 97002 (to be quoted in future correspondence)

Original Approval: 28th February 1997

Amendment Approval: 18th December 1998

Amendment Approval: 26th June 2001

Study 1 Natural history of the neurofibromatosis type 1
phenotype: neuropsychological and neuroradiological
aspects, and

Study 2 Profile of the NF1 cognitive phenotype:
neuropsychological and psychosocial aspects

This is to confirm that final approval has been granted for this study. All the requirements of the Ethics Committee are satisfied and your approval is valid.

We wish you well with your study. Please contact me if you have any further questions.

Yours sincerely,



A O'Neill
Secretary, Ethics Committee

Research and Development
Tel: 02 9845 1316
Fax: 02 9845 1317

g:\lec\2001-08appvar.doc

3 September 2001

A/Prof K North
Neurogenetics Research

Corner Hawkesbury Road
and Hainsworth Street
Locked Bag 4001
Westmead NSW 2145
Sydney Australia
DX 8213 Parramatta
Tel +61 2 9845 0000
Fax +61 2 9845 3489
www.chw.edu.au
ABN 53 188 579 090


Dear A/Prof North,

A prospective analysis of the NF1 phenotype: natural history, pathogenesis and therapy
97002
(Variation dated: 26 June 2001)

At its meeting on 24 August 2001, the Ethics Committee approved amendments to this project.

We wish you well with your project. Please contact us should you have any queries.

Yours sincerely,



A O'Neill
Secretary, Ethics Committee